

d o ^ ` b p L q O L

H86-769-82078888 H86-769-87732448

400J6789J443 ===www.ifelift.com

MMOTTQ

快意电梯

快乐运载 恒久支持
MOVING & SERVING

- A 002774
- A A A A
- 11
-
- 5 33
- 100
- 300 2000
- 1000

GRACES T2

IDCC:MALL

JKCC:MALL

PAIMERAH

BAI:HOTEL

CEJ19



SOHO



15%

5~15s,PESSRAE

DIN51130

R10 EHC I I

L

J

J

J 1.4

J

L









,

`b

`r

CERTIFICATE OF CONFORMITY

(MANUFACTURER INTERNAL CHECK APPLICATION, Annending Art.12.2,Annex VIII, 2006/42/EC)

Certificate No: MCH/A-C-0142/18

Applicant/Certificate holder: IFE ELEVATORS CO., LTD.

Address: Jinhua Rd. Jinhua Industrial Zone, Qingxi, Dongguan, [illegible]

Submission date of the application: 10/05/2018

Manufacturer: SAME[illegible] IS THE APPLICANT

Product designation: [illegible]

Model(s): GRACES 30-600 GRACES 35-600
GRACES 30-800 GRACES 35-800
GRACES 30-1000 GRACES 35-1000
(TECHNICAL SPECIFICATIONS IN ANNEX I)
(MOTOR POWER CONFIGURATION TABLEIN ANNEX II)

Technical file No: TCF-UQ-LA-20180521

EC-Directive: MACHINERY DIRECTIVE 2006/42/EC

Applicable Standards: EN 115-1:2017

Place of inspection/testing: [illegible]

Date & Number of Test Report: MCH/A-R-0142/18,28/06/2018

Result of the examination - Declaration:

The assessment machinery department of M.I.R.T.E.C. S.A. certifies that the above manufacturer has completed a technical file according to requirements of annex VII A, 2006/42/EC, which the has been deposited, on May2018 for examination of implementation of the manufacturer internal control according to annex VIII, 2006/42/EC.

The Manufacturer [illegible] the internal control, and its subsequent [illegible] the basic requirements of the relative directive and properlhe CE marking with his own responsibility. The machine[illegible]

Essential changes of designing and manufacturing of the machine must be declared to M.I.R.T.E.C. S.A.

Place / Date of issue: ATHENS, 28.08.2018

Validity of the certificate: 27.08.2023

For MIRTEC S.A. Certifying department for Machinery

I. Dimitriadis, Director Athens Office

C. Tsitsimpelos, Inspector of lifts



	PM° PR°	
do^`bp-fa	1500mm H 8000mm	1500mm H 6000mm
GRACES-III	1500mm H 8000mm	1500mm H 6000mm
GRACES-LD	1500mm H 9500mm	: : L E F
GRACES-HD	1500mm H 18000mm	: : L E F
T2	L 48906mm	

H Emm F L Emm F

01

02

d o ^ ` b p f a JPM°(e ≤ S «)

d o ^ ` b p f a JPR°(e ≤ S «)



d o ^ ` b p f f f J P M ° (e ≤ S «)

d o ^ ` b p f f f J P R ° (e ≤ S «)



mm

	600	800	1000
a	600	800	1000
b	837	1037	1237
c	1840	2040	2240
d	1150	1350	1550
e	1270	1470	1670
f	5182	4765	4765
g	2984	2567	2567
h	857	440	440
i	7168	6751	6751

1 R1 R2 R1 R2 kN

2

3 : = 900m

4

do^`bp iaJPM°(e≤R«)

EmmF	EmmF	EKgF	R1 EkNF	R2 EkNF	EkWF
1000	3000	6300	76	61	8
	3500	6700	80	65	
	4000	7100	84	69	11
	4500	7500	88	73	
	5000	8300	93	78	

W1ĸR1 R2 R1 R2 kN
====2ĸ 3
3ĸ : 900m
====4ĸ
========

EmmF	EmmF	R1 EkNF	R2 EkNF			H1 EmmF	H2 EmmF	L1 EmmF	L	

W1ĸR1 R2 R3 R4 R1 R2 R3 R4 kN
====2ĸ q1Z0ĸ0052 q2Z0ĸ0053
====3ĸ 3
4ĸ : 900m
====5ĸ
========